Japanese designed and manufactured for harsh Australian conditions

NY SERIES

by Rediy Build.



Image is CG for illustration.

REDIY BUILD

NY SERIES Body colour: Ivory Black



(9 body sizes, 5 door colours.)

In 2025, the Ivory Black body colour on our compact sheds was very well received. In response, for summer 2026 we have released 9 popular sizes from the standard ND series sheds as the "NY series". A deep black with a slight blue tint and a glossy finish. Quiet yet confident, this colour changes how a shed looks. The body comes in 2 colours, alongside the refined, soft "Moon White". Where Moon White is bright and blends into its surroundings, Ivory Black sharpens the look of the whole home and creates a striking contrast with walls and surrounding colours. More than storage, it becomes part of your outdoor design. A new standard to pair with the ND series. This is the "NY series".

REDIY BUILD
NY series storage sheds



NY series:
roof edges and frame also Ivory Black
(roof underside (ceiling) is Town Grey)

ND series:
roof edges and frame in Town Grey



Same functions and features as the ND series!

1 Easy locking. Handy doors that open and close smoothly.

2 LOCK SYSTEM
&
LINKED HANGING DOORS



Full lock




Temporary lock (unlocked)



2 Rear and side shelves:
2 TYPES

*Some models excluded



Rear shelf model



Side shelf model


NY-1812	NY-1815	NY-1815Y	NY-1819	NY-1819Y	NY-2212	NY-2215	NY-2215Y
HT-12S HT-05S	HT-12S HT-05S	HT-14S	HT-12S HT-05S	HT-05S HT-12LS	HT-14S HT-07S	HT-14S HT-07S	HT-14S

NY-2219	NY-2219Y	NY-2512	NY-2515	NY-2515Y	NY-2519	NY-2519Y
HT-14S HT-07S	HT-05S HT-12LS	HT-12S	HT-12S	HT-14S	HT-12S	HT-05S HT-12LS

Ask Rediy Build about adding extra shelves.

3 Practical features

Choose right or left opening!



Right, linked Left, linked

Fewer rainwater problems, peace of mind
Eaves gutter and downpipe standard



For when you need power,
cord hole included



Important notice The following options can be fitted, but they are not available in Ivory Black. Please note this before ordering.

Side door



Base cover



Vent window
(includes dedicated panel parts)



Exhaust fan panel



Sash window
(dedicated panel parts)



Ask Rediy Build about options for your shed.



Plenty of room for bikes, garden gear and outdoor equipment



Interior with rear shelving



Everyday household storage



Shelf and wall detail

NY series sizes and colours

0436 629 659
www.rediybuild.com.au

[Door colour]



[Body colour]
Roof: Town Grey
Frame and walls: Ivory Black
Floor and shelves: Silver Grey

How the model code works

NY = Ivory Black body (ND = Moon White)
Z = Low condensation roof (no Z = Standard roof)
First 2 numbers = width, next 2 = depth
Y = Side shelf (no Y = Rear shelf)
Last letter = door colour (W, B, D, T or A)

Example: NY-Z1815YB is Ivory Black, low condensation roof, 1800 width, 1500 depth, side shelf, Carbon Brown door.

NY-1812 range



W 183.2 x D 122.2 x H 211 (cm). Floor area 2.24 m² (0.68 tsubo)

NY-1815 range



W 183.2 x D 159 x H 211 (cm). Floor area 2.91 m² (0.88 tsubo)

NY-1819 range



W 183.2 x D 192.2 x H 211 (cm). Floor area 3.52 m² (1.07 tsubo)

NY-2212 range



W 220 x D 122.2 x H 211 (cm). Floor area 2.69 m² (0.82 tsubo)

NY-2215 range




W 220 x D 159 x H 211 (cm). Floor area 3.5 m² (1.06 tsubo)

NY-2219 range



W 220 x D 192.2 x H 211 (cm). Floor area 4.23 m² (1.28 tsubo)

NY-2512 range




W 253.2 x D 122.2 x H 211 (cm). Floor area 3.09 m² (0.94 tsubo)

NY-2515 range



W 253.2 x D 159 x H 211 (cm). Floor area 4.03 m² (1.22 tsubo)

NY-2519 range



W 253.2 x D 192.2 x H 211 (cm). Floor area 4.87 m² (1.48 tsubo)

Sizes are W x D x H in cm. Each range comes with a standard roof or a low condensation roof (Z), with rear shelves, or side shelves (Y) where shown on the price list. Each photo is labelled with the door colour shown.

NY series retail prices in Australian dollars (AUD), GST inclusive

Model code	Roof	Shelves	Size W x D x H (cm)	Price (AUD)
NY-1812	Standard	Rear	183.2 x 122.2 x 211	$3,880
NY-Z1812	Low condensation	Rear	183.2 x 122.2 x 211	$3,966
NY-1815	Standard	Rear	183.2 x 159 x 211	$4,142
NY-Z1815	Low condensation	Rear	183.2 x 159 x 211	$4,228
NY-1815Y	Standard	Side	183.2 x 159 x 211	$4,097
NY-Z1815Y	Low condensation	Side	183.2 x 159 x 211	$4,185
NY-1819	Standard	Rear	183.2 x 192.2 x 211	$4,621
NY-Z1819	Low condensation	Rear	183.2 x 192.2 x 211	$4,722
NY-1819Y	Standard	Side	183.2 x 192.2 x 211	$4,621
NY-Z1819Y	Low condensation	Side	183.2 x 192.2 x 211	$4,722
NY-2212	Standard	Rear	220 x 122.2 x 211	$4,083
NY-Z2212	Low condensation	Rear	220 x 122.2 x 211	$4,171
NY-2215	Standard	Rear	220 x 159 x 211	$4,300
NY-Z2215	Low condensation	Rear	220 x 159 x 211	$4,403
NY-2215Y	Standard	Side	220 x 159 x 211	$4,272
NY-Z2215Y	Low condensation	Side	220 x 159 x 211	$4,374
NY-2219	Standard	Rear	220 x 192.2 x 211	$4,738
NY-Z2219	Low condensation	Rear	220 x 192.2 x 211	$4,853
NY-2219Y	Standard	Side	220 x 192.2 x 211	$4,708
NY-Z2219Y	Low condensation	Side	220 x 192.2 x 211	$4,824
NY-2512	Standard	Rear	253.2 x 122.2 x 211	$4,636
NY-Z2512	Low condensation	Rear	253.2 x 122.2 x 211	$4,738
NY-2515	Standard	Rear	253.2 x 159 x 211	$4,882
NY-Z2515	Low condensation	Rear	253.2 x 159 x 211	$5,013
NY-2515Y	Standard	Side	253.2 x 159 x 211	$4,882
NY-Z2515Y	Low condensation	Side	253.2 x 159 x 211	$5,013
NY-2519	Standard	Rear	253.2 x 192.2 x 211	$5,406
NY-Z2519	Low condensation	Rear	253.2 x 192.2 x 211	$5,552
NY-2519Y	Standard	Side	253.2 x 192.2 x 211	$5,406
NY-Z2519Y	Low condensation	Side	253.2 x 192.2 x 211	$5,552

*Price includes delivery to your nearest Mainfreight depot. All prices are in AUD and include GST. Converted at 108.92 yen per AUD (RBA, 6 Nov 2026). Prices do not include delivery beyond the depot, assembly, foundation work, blocks or anchoring. Add the door colour letter (W, B, D, T or A) to the end of the model code when ordering. Specifications and prices may change without notice.


Checks before you order

- The shed body comes with a 5 year warranty. However, the paint finish is covered for 2 years and the lock for 1 year. For full details, check the product warranty card.
- Fitting optional parts later can cost more because of extra delivery and assembly. Where possible, order options at the same time as the shed.
- Check with your local council whether your shed needs building approval or a permit before you install it. Rules vary between councils and can depend on the shed size and where it sits on your block.
- Check the wind conditions at your site. Sheds can easily blow over in storms and strong winds. Always anchor the shed securely.
- Install the shed on a firm, level foundation. In cold areas, frost heave (water in the soil freezing and pushing the ground up) can move the ground, so allow for your local conditions.
- Assembly instructions are included. You will need tools such as a spirit level, screwdriver and stepladder.
- Make sure the installation space is clear before assembly, and that a delivery truck can reach your site. If access is narrow or difficult, contact Rediy Build before ordering.

Do not install in these places


Cliff edge



Rooftop or balcony


In front of a water heater


Where safety cannot be confirmed

Precautions for use

- Transport and handling may mark the paint. Minor scratches are fixed with touch up paint.
- Rain noise and creaking from heat expansion and contraction (normal for metal products) will occur.
- In storms or strong winds, check the anchoring. Close and lock the doors so wind cannot blow in. CAUTION: If very strong winds are forecast, take extra measures against tipping, such as tying the shed down with rope.
- If snow builds up on the roof, clear it early. Snow can deform or damage the shed.



Never put things on the roof or hang from it. Never modify the shed. Never use it as a children's play area, as part of a house, or for anything other than storage. Never lean things against the shed.

Care and maintenance

- If the doors do not close properly, adjust the door fit following the assembly instructions. If that does not fix it, level the shed again.
- Leaves and rubbish build up on the roof and gutters, so clean them regularly. Wash with water when dirty. Open the doors from time to time to air out the inside.
- If the lock becomes stiff, use a keyhole lubricant spray. If you lose the key, note the number stamped on the lock and contact Rediy Build.
- When storing heavy items, lay boards (such as plywood) on the floor to strengthen it.
- If the shed gets scratched, touch it up with paint as soon as possible. If rust has formed, remove it before touching up. If repairs are needed, contact Rediy Build.

Product colours may differ slightly from the real product due to printing. Specifications may change without notice.